


Domestic Pumps

Self-Priming Monoblock & Openwell Pumpsets



PUMPS



*Selected Models Only



- Applications**
- Residential Bungalows
 - Community Water Supply
 - Construction Site
 - Apartment
 - Lawns & Gardens
 - Car Washing
 - Hotel & Hospitals



www.lubipumps.com

DOMESTIC PUMPSETS

 <p>Thunder-I & II</p>	 <p>SPLASH-II</p>	 <p>MDH-50A</p>	 <p>MI-50SP</p>	 <p>MDH-27A</p>
 <p>MDH-27DC</p>	 <p>AQUAFLOW-II</p>	 <p>CHAMPION PLUS-II</p>	 <p>CHAMPION PLUS-I</p>	 <p>MDH-27ASF</p>
 <p>MDH-36A</p>	 <p>MDH-36H</p>	 <p>MDH-37H</p>	 <p>MDH-27A (C.I.)</p>	 <p>FORCE-I & II</p>
 <p>AQUAFLOW-IC & IIC</p>	 <p>VIRAT ULTRA</p>	 <p>VIRAT SUPER</p>	 <p>VIRAT GOLD</p>	 <p>VIRAT 50</p>
 <p>VIRAT DIAMOND</p>	 <p>VIRAT 100</p>	 <p>MDL-3</p>	 <p>MDL-3N</p>	 <p>MDL-5</p>
 <p>MDL-5N</p>	 <p>MEGA BOOSTER-II</p>	 <p>LHL- 150CE / 151CE / 155CE</p>	 <p>LHL- 151C</p>	 <p>LHL-160CE</p>
 <p>MDH-12E</p>	 <p>MDH-14E</p>	 <p>A10</p>	 <p>D10</p>	

SELF PRIMING MONOBLOCK PUMPS

Approximate performance chart at 230 V, 50 Hz. AC supply, 1-Phase (2880 RPM Syn. Speed)

Model	K.W.	H.P.	Size in mm	Head in Metres																				
				3	6	9	12	15	18	21	24	27	30	33	36	39	42	45	48	51	54	57	60	63
				Discharge in L.P.H.																				
SPLASH-II	0.37	0.50	25 x 25	1600	1370	1130	1000	750	610	500	410	230												
THUNDER-II	0.37	0.50	25 x 25	1800	1550	1320	1140	960	780	600	360													
FORCE-II	0.37	0.50	25 x 25		1750	1550	1400	1250	1100	950	750	600	450	300										
MDH-50A *	0.37	0.50	25 x 25	2200	1950	1800	1600	1350	1050	700	550	240												
MI-50 SP *	0.37	0.50	25 x 25		2400	2250	2100	1900	1600	1250	950	750												
MDH-27A *	0.37	0.50	25 x 25		2550	2300	2100	2000	1600	1450	1250	1000	650											
MDH-27DC *	0.37	0.50	25 x 25		2550	2300	2100	2000	1600	1450	1250	1000	650											
CHAMPION PLUS-II	0.37	0.50	25 x 25		2900	2700	2400	2150	1900	1680	1430	1060	840	530										
AQUAFLOW-II / IIC	0.37	0.50	25 x 25		2500	2300	2100	1950	1700	1550	1450	1200	950											
THUNDER-I	0.75	1.00	25 x 25		2640	2400	2160	2040	1680	1380	1260	960	660											
FORCE-I	0.75	1.00	25 x 25			2600	2300	2100	900	1700	1400	1100	700	600	400									
CHAMPION PLUS-I	0.75	1.00	25 x 25					3000	2950	2900	2800	2700	2500	2300	2100	1900	1700	1500	1400	1100	900	700	500	350
MDH-27ASF	0.80	1.10	25 x 25		3200	3050	2700	2250	1850	1650	1450	1250	850	600										
MDH-36A *	0.75	1.00	25 x 25		3600	3400	3250	3100	2850	2700	2550	2400	2250	2050	1900	1700	1450							
MDH-36H *	0.75	1.00	25 x 25		3800	3700	3650	3450	3350	3100	2900	2700	2450	2300	2100	1850	1650	1350						
MDH-37H	1.10	1.50	25 x 25				4500	4260	4080	3840	3720	3480	3240	3000	2820	2580	2280	2100	1800	1560	1320			

■ Fitted with thermal overload protector. ■ All pumps with * are ISI marked. ■ MDH-27DC also available in 3 phase

VIRAT SERIES - C.I. BODY

Model	K.W.	H.P.	Size in mm	Head in Metres																		
				6	9	12	15	18	21	24	27	30	33	36	39	42	45	48	51			
				Discharge in L.P.H.																		
VIRAT ULTRA	0.37	0.5	25 x 25	1920	1680	1500	1320	1080	900	720	480	240	0 (32m)									
VIRAT SUPER	0.37	0.5	25 x 25	2040	1920	1680	1500	1320	1140	960	720	240	0 (32m)									
VIRAT-50	0.37	0.5	25 x 25	2820	2580	2340	2100	1860	1620	1380	1080	780	480	0 (36m)								
VIRAT GOLD	0.37	0.5	25 x 25	3060	2880	2640	2460	2280	2040	1800	1620	1380	1200	1020	780	480	300	0 (47m)				
VIRAT DIAMOND	0.80	1.1	25 x 25	3200	3050	2700	2250	1850	1650	1450	1250	850	600	0 (37m)								
VIRAT-100	0.75	1.0	25 x 25		3600	3360	3180	2880	2640	2400	2220	1980	1740	1440	1200	900	600	300	0 (51m)			

Model	K.W.	H.P.	Size in mm	Head in Metres																		
				8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40		
				Discharge in L.P.H.																		
MDL-3	0.37	0.50	25 x 25	3240	3000	2880	2700	2520	2400	2220	1980	1800	1500	1320	960							
MDL-3N	0.37	0.50	25 x 25	2880	2760	2580	2400	2160	1980	1800	1620	1380	1140	1020	720							
MDL-5	0.75	1.0	25 x 25		4080	3900	3720	3600	3420	3300	3000	2820	2700	2520	2400	2160	1980	1800	1620	1440		
MDL-5N	0.75	1.0	25 x 25		3780	3540	3360	3180	3000	2820	2580	2460	2220	2100	1920	1800	1620	1440	1260	1020		

PRESSURE BOOSTER PUMPSET

System Model	KW (HP)	Suction Size mm (inch)	Discharge Size mm (inch)	Type of Auto Boost	Setting Range kg/cm ²	Max. Cap. Lit / Hr	Approximate Suitable For
MEGA BOOSTER-II	0.37 (0.5)	25 (1)	25 (1)	IN LINE	1.5 to 3.0	2910	1 Bathroom Normal

OPEN-WELL SUBMERSIBLE PUMPSET

Model	H.P.	Size in mm	Head in Metres											
			6	8	10	12	14	16	18	20	22	24	26	28
1-Phase			Discharge in L.P.M.											
LHL-150CE	0.5	25 x 25	135	130	122	112	100	86	70	25				
LHL-151CE	1.0	25 x 25			204	196	185	170	155	140	128	110	86	60
LHL-151C	1.0	25 x 25			185	182	175	165	152	140	122	100	65	

Model	H.P.	Size in mm	Head in Metres											
			9	12	15	18	21	24	27	30	33	36	39	
			Discharge in L.P.M.											
LHL-155CE	1.5	32 x 25	159	156	155	151	143	133	132	112	94	72	41	
LHL-160CE *	2.0	50 x 50	428	373	331	282	233	119						

Note : * Cast Iron Body

MONOBLOCK PUMPSET

Model	K.W.	H.P.	Size in mm	Discharge in L.P.H.	Head in Metres			
					16	18	20	21
MDH-12E	0.37	0.5	25 x 25		4800	3000	1080	0

Model	K.W.	H.P.	Size in mm	Discharge in L.P.M.	Head in Metres						
					22	24	26	28	30	32	33
MDH-14E	0.75	1.0	25 x 25		110	90	85	60	40	20	0

Note : MDH-12E is ISI marked.

CENTRIFUGAL JET PUMPSET

Model	K.W.	H.P.	Bore Size (mm)	Size Suc. x Press x Del. (mm)	Jet Settings Depth in Meters (DLWL)																
					3	6	9	12	15	18	21	24	27	30	33	36	39	42	45	48	51
MJET D10	0.75	1.00	100	32 x 25 x 25	1600	1500	1450	1420	1400	1380	1250	1060	900	780	650	520	400	300	200	100	50
MJET A10	0.75	1.00	100	32 x 25 x 25					1500	1320	1080	960	900	840	720	600					

Note : ■ Self-priming upto 6.0 meters at mean sea level. ■ Performance under standard test conditions. ■ Performance applicable to liquid of specific gravity 1.0 & viscosity as of water.



LUBI INDUSTRIES LLP

Regd. Office : Near Kalyan Mills, Naroda Road, Ahmedabad - 380 025. Gujarat, INDIA.
Tel. # 91-79-61700100, E-mail: mktsales@lubipumps.com, Website : www.lubipumps.com
Customer Care No. : 9824200800

Product Improvement is a continuous process at 'LUBI'. The data given in this publication is therefore subject to revision.

50+
YEARS OF
PUMPING TRUST

